


AN ANSWER STARTS AT THE SOURCE

A fluent answer can repeat a badly parsed or outdated document.



Before chunks and embeddings, design ingestion.

Today: preserve where evidence came from and whether it is usable.



NAME THE AUTHORITATIVE SOURCE



Toy source: the policy team owns the approved return policy.



A copied PDF in a chat is not automatically the current authority.



Record owner, scope, approval status, and effective dates.

Approved Policy
(from policy team)



Owner: Policy Team
Scope: Return Policy
Approval Status: Approved
Effective Dates: 2024-01-01 to 2024-12-31



Authoritative Source



Copied PDF
(from a chat)




Owner: Unknown
Scope: Unclear
Approval Status: Unverified
Effective Dates: Unknown



Not an Authoritative Source



No automatic trust from file format.



BUILD A SOURCE MANIFEST

Record source ID, original location, version, owner, access rules, and content hash.
Add received time, effective dates, extraction status, and parser version.

Toy source manifest

source_id	toy_01
original_location	s3://bucket/data/events.json
version	v3
owner	ml-platform
access_rules	internal
content_hash	d9f8e7a1...
received_time	2024-02-15 10:42:17
effective_dates	2024-02-01 to 2024-02-28
extraction_status	completed
parser_version	v1.1.0



Source File



Original File



s3://bucket/data/
events.json


 [Link to original file](#)



A filename alone is not enough.

KEEP THE ORIGINAL BYTES

- 1 Store the original file before transforming it.
- 2 Use versioned storage or an explicit immutable object key.
- 3 Keep access and retention rules with the source.
- 4 The extracted text should point back to this exact version.




CHOOSE PARSER OR OCR

- A digital PDF may contain extractable text.
- A scanned page may need optical character recognition, or OCR.
- Mixed files can need both.
- Check the actual pages before choosing the route.



Check the actual pages before choosing the route.


DIGITAL TEXT PDF



SCANNED PDF



MIXED PDF



EXTRACTION CAN CHANGE MEANING

Columns may read in the wrong order.

Original document (toy example)

Column 1	Column 2
Check receipt.	Then check date.



Wrong extraction (toy example)

Then check date.
Check receipt.



A table may lose its row labels.

Original document (toy example)

	Q1	Q2	Q3
Revenue	100	120	140
Expenses	60	70	80
Profit	40	50	60



Extracted text (toy example)

Q1	Q2	Q3
100	120	140
60	70	80
40	50	60



OCR may confuse digits or miss a word such as *not*.

Original document (toy example)

The user is **not** eligible for a refund.



Extracted text (toy example)

The user is eligible for a refund.



Readable text still needs a quality check.


PRESERVE STRUCTURAL CLUES

Keep page numbers, section headings, table relationships, and available text offsets.

These links help reviewers locate the original evidence.

Mark inferred structure separately from reliable source fields.

Toy source document



Extracted Passage Metadata

page_number

3

section_heading

2. Revenue Overview

table_ref

Table 2

text_offset_start

120

text_offset_end

248

inferred_heading

Quarterly Results

INFERRED



AUDIT A POLICY EXCEPTION

Toy source

Returns Policy

returns within 30 days;
final-sale items are excluded.


Toy source: returns within 30 days;
final-sale items are excluded.

Bad extraction

Returns Policy

returns within 30 days.

Bad extraction: returns within
30 days.



**The missing exception
changes the answer.**

Compare the parsed passage
with the original page.

@learn.machinelearning



TRACK EXTRACTION OUTCOMES




Use states such as received, parsing, review needed, rejected, and approved for indexing.



Record errors, warnings, and reviewer decisions.




A successful parser exit is not the same as trustworthy evidence.




QUARANTINE UNCERTAIN INPUTS

Encrypted, corrupt, unsupported, or suspicious files need a defined response.
Keep them out of the active retrieval set until resolved.
Record the reason and owner; avoid silent partial ingestion.



DOCUMENTS ARE DATA

A document may contain text that tells an assistant to ignore its rules. Store and process that text as untrusted source content. It must not become an application instruction or grant tool access.



CARRY ACCESS RULES FORWARD




Source permissions must follow extracted text and later chunks.



Store tenant, audience, and document scope as required by the system.




Enforce access again at retrieval and before returning protected content.



VERSION CHANGES EXPLICITLY

- ✓ Toy update: policy v2 replaces v1 after its approval and effective time.
- ✓ Build and check the new extraction before activation.
- ✓ Do not mix old and new rules in one active version.



v1 stays active only while still applicable and authorized.

Build and check the new extraction before activation.

After its approval and effective time, switches active pointer to v2.

Old archived, not mixed.

Do not mix old and new rules in one active version.



REPROCESS WITHOUT DUPLICATES


Use source version, content hash, and extraction configuration to identify a logical extraction result.



source version
+ content hash
+ extraction
configuration

logical
extraction
result

A retry should not create duplicate active records.



A new parser version may require a new audited extraction.



DELETION NEEDS A PATH




When a source is withdrawn, stop serving its evidence.



Track derived text, chunks, indexes, and caches that must be removed or invalidated.



Retain audit records only under the system retention policy.



WHERE THE TOOLS FIT



Object storage:
preserve originals
and versions.



PostgreSQL:
track manifest, status,
and access metadata.



pypdf: extract
PDF text;
OCR tools: read
scanned images.



Your pipeline owns
quality gates and
source activation.



Original bytes



Extraction



Quality review




Manifest metadata

TRY THE PARSE AUDIT

Independent toy source Policy R, version v3, has two pages. Page 1 extracts the 30-day rule. Page 2 contains the exception, but extraction is empty.

The parser reports success.



Should this version enter the active retrieval set?



PRESERVE MEANING AND ORIGIN

Exercise: hold v3 for review. The missing exception makes the extraction incomplete.



Resolve and audit the page before activation.



Review hold



Repair / extract



Audit



Active index

Provenance



Versioned source



Passage



Provenance connects every passage to an owned, versioned source.



Next: chunks and metadata.

